Berichte
aus dem
Institut für Meereskunde
an der
Christian-Albrechts-Universität Kiel

No. 58

EFFECTS OF POWER PLANT COOLING ON AQUATIC BIOTA
- AN INDEXED BIBLIOGRAPHY -

by

Heino Möller

DOI 10.3289/IFM_BER_58

Copies of this report may be obtained from:

Dr. Heino Möller
Institut für Meereskunde
Düsternbrooker Weg 20
D - 2300 Kiel
Germany

MÖLLER, H.; 1978: Effects of power plant cooling on aquatic biota - an indexed bibliography. Ber.Inst.Meeresk.Kiel 58, 31pp.

Several bibliographies (291, 292, 293) and reviews (32, 79, 82, 83, 86, 89, 90, 91, 266, 330) on "ecological consequences of power plant cooling" have been published. Other reports compile additional data, but are not available to the public. Altogether, more than 3,000 literature citations have been gathered until now, too many to be studied by an individual scientist. The bibliography becomes more comprehensible, if only titles are accepted, that deal with power plant cooling itself, neglecting the influence of temperature and other stress factors on organisms as examined under laboratory conditions. Among those 600 remaining titles, about 370 are published in journals and periodicals available to the public. They are presented in this bibliography. Among these, about 100 are theoretical discussions, reviews, etc. If repetitions of the same results in various periodicals or proceeding reports are subtracted, less than 250 field studies remain.

Basic information for this report has been taken from bibliographies and reviews cited above. It was considerably enlarged by titles as available from the libraries of the "Marine Biological Association of the United Kingdom" in Plymouth and the Institut für Meereskunde in Kiel as well as by titles from "Aquatic Sciences and Fisheries Abstracts" and reprints obtained from authors.

1. ADAIR, W.D.; HAINS, J.J.; 1974: Saturation values of dissolved gases with the occurrence of gas-bubble disease in fish in a heated effluent. In no. 132, 59-78.

2. ADAMS, J.R.; 1969: Ecological investigations around some thermal power stations in California tidal waters. Chesapeake Sci. 10, 145-154.

3. ADAMS, J.R.; 1969: Thermal power, aquatic life, and kilowatts on the Pacific coast. Nucl.News 12, 75-79.

4. ADAMS, J.R.; GORMLY, H.J.; DOYLE, M.J.; 1970: Thermal investigations in California. Mar.Pollut.Bull. 1, 140-142.

5. ALABASTER, J.S.; 1963: The effect of heated effluents on fish. Int.J.Air Wat.Pollut. 7, 541-563.

6. ALABASTER, J.S.; 1964: The effect of heated effluents on fish. Adv.Wat.Pollut.Res. 1, 261-292.

7. ALABASTER, J.S.; 1969: Effects of heated discharges on freshwater fish in Britain. In no. 206, 354-370.

8. ALABASTER, J.S.; DOWNING, A.L.; 1966: A field and laboratory investigation of the effect of heated effluents on fish. Min.Agric.Fish.Food, Fish.Invest. 6(4), 42pp.

9. ALLEN, G.H.; BOYDSTUN, L.B.; GARCIA, F.G.; 1970: Reaction of marine fishes around warmwater discharge from an atomic steam-generating plant. Progve Fish Cult. 32, 9-16.

10. ALLEN, J.F.; 1969: Research needs for thermal-pollution control. In no. 206, 382-392.

11. ANDERSON, D.W.; GNILKA, A.; 1976: The biological impact of a thermal discharge exceeding 95°F - a case study of Allen Steam Station, North Carolina. In no. 216, III-B, 87-111.

12. ANDERSON, R.R.; 1969: Temperature and rooted aquatic plants. Chesapeake Sci. 10, 157-164.

13. ANSELL, A.D.; 1963: The biology of Venus mercenaria in British waters, and in relation to generating station effluents. A.Rep.Challenger Soc. 3(15), 38.

14. ANSELL, A.D.; 1969: Thermal releases and shellfish culture: possibilities and limitations. Chesapeake Sci. 10, 256-257.

15. APPOURCHAUX, M.; 1965: Effets de la température de l'eau sur la faune et la flore aquatiques. Eau 52, 377-39 EAU 52, 377-391.

16. ARNOLD, G.E. et al.; 1972: Information sources on water quality including thermal pollution. J.Sanit.Engng Div. 1972, 569-578.

17. ASH, G.R.; CHYMKO, N.R.; GALLUP, D.N.; 1974: Fish kill due to "cold shock" in Lake Wabamun, Alberta. J.Fish. Res.Bd Can. 31, 1822-1824.

18. ASTON, R.J.; 1973: Field and experimental studies on the effects of a power station effluent on Tubificidae (oligochaeta, annelida). Hydrobiologia 42, 225-242.

19. AUERBACH, S.I. et al.; 1971: Ecological considerations in reactor power plant siting. In no. 177, 805-820.

20. BAINBRIDGE, R.; 1964: The problem of excluding fish from water intakes. Ann.appl.Biol. 53, 505-508.

21. BALLIGAND, P. et al.; 1975: Utilisation des calories de rejets thermiques pour l'agriculture, la pisciculture et le chauffage des locaux. In no. 179, 717-729.

22. BARNES, R.S.; COUGHLAN, J.; 1972: The bottom fauna of the Blackwater estuary: the macrofauna of the area adjacent to Bradwell Nuclear Generating Station. Essex Natur. 33, 15-31.

23. BARNETT, P.R.; 1971: Some changes in intertidal sand communities due to thermal pollution. Proc.R.Soc. B 177, 353-364.

24. BARNETT, P.R.; 1972: Effects of warm water effluents from power stations on marine life. Proc.R.Soc. B 180, 497-509.

25. BARNETT, P.R.; HARDY, B.L.; 1969: The effects of temperature on the benthos near the Hunterston generating station, Scotland. Chesapeake Sci. 10, 255-256.

26. BEAUCHAMP, R.S.; 1969: The use of chlorine in the cooling water systems of coastal power station. Chesapeake Sci. 10, 280.

27. BEAUCHAMP, R.S.; ROSS, F.F.; WHITEHOUSE, J.W.; 1970: The thermal enrichment of aquatic habitats. Adv.Wat.Pollut.Res. 1 (I-11), 7pp.

28. BECKER, C.D.; 1971: Food and feeding of juvenile chinook salmon in the central Columbia River in relation to thermal discharges and other environmental features. Battelle Mem.Inst.Richland, BNWL-1528, 28pp.

29. BECKER, C.D.; 1973: Columbia River thermal effects study: reactor effluent problems. J.Wat.Pollut.Control.Fed. 45, 850-869.

30. BECKER, C.D.; COUTANT, C.C.; 1970: Experimental drifts of juvenile salmonids through effluent discharges at Hanford. Part I. 1968 drifts. Battelle Mem.Inst.Richland, BNWL-1499, 35pp.

31. BECKER, C.D.; COUTANT, C.C.; PRENTICE, E.F.; 1971: Experimental drifts of juvenile salmonids through effluent discharges at Hanford. II. 1969 drifts and conclusions. Battelle Mem.Inst.Richland, BNWL-1527, 61pp.

32. BECKER, C.D.; THATCHER, T.O.; 1973: Toxicity of power plant chemicals to aquatic life. Battelle Mem.Inst.Richland, BNWL-1249, unpaged.

33. BEECHER, J.S.; TRAUTENBERG, G.A.; 1964: Control biological growths in open-circulating cooling-water systems. Power 108, 80-82.

34. BELL, W.H.; 1971: Thermal effluents from electrical power generation.
Fish.Res.Bd Can., techn.Rep. 262, 54pp.

35. BELTER, W.G.; 1975: Management of waste heat at nuclear power stations, its possible impact on the environment, and possibilities of its economic use.
In no. 179, 3-23.

36. BENDA, R.S.; 1973: Heated effluents and the occurrence of Lernaea cyprinacea. Proc.Indiana Acad.Sci. 82, 435-436.

37. BENDA, R.S.; PROFFITT, M.A.; 1974: Effects of thermal effluents on fish and invertebrates. In no. 132, 438-447.

38. BENNETT, D.H.; 1971: Preliminary examination of body temperatures of largemouth bass (Micropterus salmoides) from an artificially heated reservoir.
Arch.Hydrobiol. 68, 376-381.

39. BENNET, D.H.; 1972: Length-weight relationships and condition factors of fishes from a South Carolina reservoir receiving thermal effluent.
Progve Fish Cult. 34, 85-87.

40. BENNET, D.H.; GIBBONS, J.W.; 1972: Food of largemouth bass (Micropterus salmoides) from a South Carolina reservoir receiving heated effluent.
Trans.Am.Fish.Soc. 101, 650-654.

41. BENNET, D.H.; GIBBONS, J.W.; 1974: Growth and condition of juvenile largemouth bass from a reservoir receiving thermal effluent. In no. 132, 246-254.

42. BISHOP, J.W.; CONYERS, J.C.; WOOLCOBB, W.S.; 1973: Response of invertebrates on artificial substrates to heated water. Virginia J.Sci. 24,

43. BLAYLOCK, B.G.; 1974: Effects on aquatic biota of radioactive effluents from nuclear power stations.
Trans.Am.nucl.Soc. 18, 46-47.

44. BLAYLOCK, B.G.; WITHERSPOON, J.P.; 1976: Radiation doses and effects estimated for aquatic biota exposed to radioactive releases from LWR luel-cycle facilities.
Nucl.Saf. 17, 351-361.

45. BLOCK, R.M.; HELZ, G.R. (eds); 1977: Proceedings of the chlorination workshop. Chesapeake Sci. 18, 97-160.

46. BOARD, P.A.; COLLINS, T.M.; 1965: Physical forces in marine fouling. Discovery March 1965, 5pp.

47. BOHL, M.; 1970: Möglichkeiten der Warmwassernutzung für die Fischzucht. Z.Wass.AbwassForsch. 3, 48-49.

48. BOURQUE, J.E.; ESCH, G.W.; 1974: Population ecology of parasites in turtles from thermally altered and natural aquatic communities. In no. 132, 551-561.

49. BRAMATI, L.; GASPARINI, R.; MERLUZZI, D.; 1975: Regulations and environmental investigations associated with nuclear station thermal discharges.
In no. 179, 659-673.

50. BRAUER, G.A.; NEILL, W.H.; MAGNUSON, I.J.; 1974: Effects of a power plant on zooplankton distribution and abundance near plant's effluent. Wat.Res. 8, 485-489.

51. BREZINA, E.R.; CAMPBELL, R.S.; WHITLEY, J.R.; 1970: Thermal discharge and water quality in a 1,500-acre reservoir. J.Wat.Pollut.Control Fed. 42, 24-32.

52. BRISBIN, I.L.; 1974: Abundance and diversity of waterfowl inhabiting heated and unheated portions of a reactor cooling reservoir. In no. 132, 579-593.

53. BROCK, T.D.; HOFFMANN, J.; 1974: Temperature optimum of algae living in the outfall of a power plant of Lake Monona. J.Wisconsin Acad.Sci. 62, 195-203.

54. BROOK, A.J.; BAKER, A.L.; 1972: Chlorination at power plants: impact on phytoplankton productivity. Science 176, 1414-1415.

55. BRUNGS, W.A.; 1973: Effects of residual chlorine on aquatic life. J.Wat.Pollut.Control Fed. 45, 2180-2193.

56. BUCK, J.D.; RANKIN, J.S.; 1972: Thermal effects on the Connecticut River: bacteriology. J.Wat.Pollut.Control Fed. 44, 47-64.

57. BUGBEE, S.L.; 1976: Evaluating the adverse impact of cooling water intake structures on the aquatic environment. In no. 216, II-A, 25-35.

58. BUSH, R.M.; WELCH, E.B.; MAR, B.W.; 1974: Potential effects of thermal discharges on aquatic systems. Environm.Sci.Technol. 8, 561-568.

59. CAIRNS, J.; 1969: The response of fresh-water protozoan communities to heated waste waters. Chesapeake Sci. 10, 177-185.

60. CAIRNS, J.; 1971: Thermal pollution - a cause for concern. J.Wat.Pollut.Control Fed. 43, 55-66.

61. CAIRNS, J.; 1972: Coping with heated waste water discharges from steam-electric power plants. Bioscience 22, 411-420.

62. CAMPBELL, K.P. et al.; 1977: Impacts of recent power plants on the Hudson River striped bass (Morone saxatilis) population. Abstract. In no. 345, 184.

63. CARLSON, D.M.; 1974 Response of planktonic cladocerans to heated waters. In no. 132, 186-206.

64. CARPENTER, E.J.; PECK, B.B.; ANDERSON, S.J.; 1972: Cooling water chlorination and productivity of entrained phytoplankton. Mar.Biol. 16, 37-40.

65. CARPENTER, E.J.; PECK, B.B.; ANDERSON, S.J.; 1974: Survival of copepods passing through a nuclear power station at northeastern Long Island Sound, USA. Mar.Biol. 24, 49-55.

66. CARPENTER, E.J. et al.; 1974: Copepod and chlorophyll-a concentrations in receiving waters of a nuclear power station and problems associated with their measurement. Estuar.coast.mar.Sci. 2, 83-88.

67. CARR, W.E.; GIESEL, J.T.; 1975: Impact of thermal effluent from a steam-electric station on a marsh-land nursery during the hot season. Fish.Bull. 73, 67-80.

68. CHADWICK, H.K.; STEVENS, D.E.; MILLER, L.W.; 1977: Some factors regulating the striped bass population in the Sacramento - San Joaquin Estuary, California. In no. 345, 18-35.

69. CHRISTENSEN, S.W.; DE ANGELIS, D.L.; CLARK, A.G.; 1977: Development of a stock-progressy model for assessing power plant effects on fish populations. In no. 345, 196-226.

70. CHRISTY, E.J. et al.; 1974: Enhanced growth and increased body size of turtles living in thermal and post--thermal aquatic systems. In no. 132, 277-284.

71. CHURCHILL, M.A.; WOJTALIK, T.A.; 1969: Effects of heated discharges: the TVA experience. Nucl.News 12, 80-86.

72. CLARK, J.R.; 1969: Thermal pollution and aquatic life. Scient.Am. 220(3), 19-27.

73. COLE, L.C.; 1969: Thermal pollution. Bioscience 19, 989-992.

74. CORY, R.L.; 1974: Change in oxygen and primary production of the Patuxent Estuary, Maryland, 1963 through 1969. Chesapeake Sci. 15, 78-83.

75. CORY, R.L.; NAUMANN, J.W.; 1969: Epifauna and thermal additions in the upper Patuxent River Estuary. Chesapeake Sci. 10, 210-217.

76. CORY, R.L.; NAUMANN, J.W.; 1970: Temperature and water--quality conditions of the Patuxent River Estuary, Maryland, January 1966 through December 1967. Chesapeake Sci. 11, 199-209.

77. COUGHLAN, J.; WHITEHOUSE, J.; 1977: Aspects of chlorine utilization in the United Kingdom. Chesapeake Sci. 18, 102-111.

78. COUTANT, C.C.; 1962: The effect of a heated water effluent upon the macro-invertebrate riffle fauna of the Delaware River. Proc.Pennsylvania Acad.Sci. 36, 58-71.

79. COUTANT, C.C.; 1969: Thermal pollution - biological effects. J.Wat.Pollut.Control Fed. 41, 1036-1052.

80. COUTANT, C.C.; 1969: Temperature, reproduction and behavior. Chesapeake Sci. 10, 261-274.

81. COUTANT, C.C.; 1970: Behaviour of sonic tagged chinook salmon and steelhead trout migrating past Hanford thermal discharges (1967). Battelle Mem.Inst.Richland BNWL-1531.

82. COUTANT, C.C.; 1970: Thermal pollution - biological effects. J.Wat.Pollut.Control Fed. 42, 1025-1057.

83. COUTANT, C.C.; 1970: Biological aspects of thermal pollution I. Entrainment and discharge canal effects. Crit.Rev.Environm.Control. 1970, 341-381.

84. COUTANT, C.C.; 1971: Thermal pollution - biological effects. J.Wat.Pollut.Control Fed. 43, 1292-1334.

85. COUTANT, C.C.; 1971: Effects on organisms of entrainment in cooling water: step toward predictability. Nucl.Saf. 12, 600-607.

86. COUTANT, C.C.; 1972: Biological aspects of thermal pollution II. Scientific basis for water temperature standards at power plants. Crit.Rev.Environm.Control. 1972, 24pp.

87. COUTANT, C.C.; 1975: Temperature selection by fish - a factor in power-plant impact assessments. In no. 179, 575-595.

88. COUTANT, C.C.; BECKER, C.D.; 1970: Growth of the Columbia River limpet, Fisherola nuttalli (Haldeman), in normal and reactor-warmed water. Battelle Mem.Inst.Richland, BNWL-1537.

89. COUTANT, C.C.; GOODYEAR, C.P.; 1972: Thermal effects. J.Wat.Pollut.Control Fed. 44, 1250-1294.

90. COUTANT, C.C.; PFUDERER, H.A.; 1974: Thermal effects. J.Wat.Pollut.Control Fed. 46, 1476-1540.

91. COUTANT, C.C.; TALMAGE, S.S.; 1975: Thermal effects. J.Wat.Pollut.Control Fed. 47, 1656-1711.

92. CRADDOCK, D.R.; 1976: Impact of cooling waters on the aquatic resources of the Pacific Northwest. U.S.nat.mar.Fish.Serv.mar.Fish.Rev. 38(11), 27-34.

93. CRAVEN, R.E.; BROWN, B.E.; 1970: Power plant heated discharge water and benthos in Boomer Lake, Payne County, Oklahoma. J.Kansas Ent.Soc. 43, 122-128.

94. DAHL-MADSEN, K.I.; MØLLER, B.; FENGER, B.H.; 1976: Effects of cooling water discharge on primary production and composition of bottom fauna in a fjord. In: DEVIK, O. (ed.):"Harvesting polluted waters." Plenum Publ.Comp., New York, 39-49.

95. DAHLBERG, M.D.; CONYERS, J.C.; 1974: Winter fauna in a thermal discharge with observation on a macrobenthos sampler. In no. 132, 414-422.

96. DAVIES, R.M.; JENSEN, L.D.; 1975: Zooplankton entrainment at three mid-Atlantic power plants. J.Wat.Pollut.Control Fed. 47, 2130-2142.

97. DE MONT, D.J.; MILLER. R.W.; 1971: First reported incidence of gas-bubble disease in the heated effluent of a generating station. Proc.a.Conf.SEast Ass. Game Fish.Commn.

98. DE SYLVA, D.P.; 1969: Theoretical consideration on the effect of heated effluents on marine fishes. In no. 206, 229-293.

99. DE SYLVA, D.P.; HINE, A.E.; 1972: Ciguatera - marine fish poisoning - a possible consequence of thermal pollution in tropical seas? In: RUIVO, M. (ed.):

100. DEVIK, O.; 1975: Waste heat and nutrient loaded effluents in the aquaculture. In no. 179, (30), 12pp.

101. DOUGLAS, P.A.; 1968: Heated discharges and aquatic life. Bull.Sport Fishing Inst. 198, 1-5.

102. DROST-HANSEN, W.; 1969: Allowable pollution limits - a physico-chemical approach. Chesapeake Sci. 10, 281-288.

103. DRYER, W.; BENSON, N.G.; 1957: Observations on the influence of the New Johnsonville Steam Plant on fish and plankton populations. Proc.a.Conf.SEast Ass.Game Fish Commn 10, 85-91.

104. EFFER, W.R.; BRYCE, J.B.; 1975: Thermal discharge studies on the Great Lakes - the Canadian experiment. In no. 179, 371-187.

105. EHRLICH, K.F.; 1977: Inhibited hatching success of marine fish eggs by power plant effluent. Mar.Pollut.Bull. 8, 228-229.

106. EILER, H.O.; DELFINO, J.J.; 1974: Limnological and biological studies of the two modes of open-cycle nuclear power station discharge on the Mississippi River (1969-1973). Wat.Res. 8, 995-1005.

107. EILER, H.O.; DELFINO, J.J.; 1975: Comparative effects of two modes of cooling-water discharge on Mississippi River biota and environmental ecosystems. In no. 179, 685-691.

108. ELSER, H.J.; 1965: Effect of a warmed-water discharge on angling in the Potomac River, Maryland, 1961-62. Progve Fish Cult. 27, 79-86.

109. ELSTER, H.J.; 1968: Einige limnologische und fischereiliche Gesichtspunkte zur Aufheizung unserer Fließgewässer durch Kühlwassereinleitungen. Fischwirt 12, 298-307.

110. ENRIGHT, J.T.; 1977: Power plants and plankton. Mar.Pollut.Bull. 8, 158-161.

111. EPLER, P.; BIENIARZ, K.; 1973: Influence of heated discharge waters from the "Skawina" electric power station on the ichthyofauna of the rivers Skawinka and Vistula. Acta hydrobiol.Krakow. 15, 331-339.

112. ERIKSSON, G.; FORSBERG, C.; 1971: Varmvattenutsläpp och alger. Vatten 27, 441-448.

113. EURE, H.E.; ESCH, G.W.; 1974: Effects of thermal effluent on the population dynamics of helminth parasites in largemouth bass. In no. 132, 207-215.

114. FALKE, J.D.; SMITH, M.H.; 1974: Effects of thermal effluent on the fat content of the mosquito fish. In no. 132, 100-108.

115. FERENS, M.C.; MURPHY, T.M.; 1974: Effects of thermal effluents on populations of mosquito fish. In no. 132, 237-245.

116. FERGUSON WOOD, E.J.; 1973: Effects of thermal additions in temperate and cold waters. Sci.tot.Environm. 2, 61-80.

117. FERGUSON WOOD, E.J.; ZIEMAN, J.C.; 1969: The effects of temperature on estuarine plant communities. Chesapeake Sci. 10, 172-174.

118. FOERSTER, J.W.; TRAINOR, F.R.; BUCK, J.D.; 1974: Thermal effects on the Connecticut River: phycology and chemistry. J.Wat.Pollut.Control Fed. 46, 2138-2152.

119. FOX, D.L.; CORCORAN, E.F.; 1957: Thermal and osmotic countermeasures against some typical fouling organisms. Corrosion 14, 31-32.

120. FOX, D.L.; MOYER, M.S.; 1973: Some effects of a power plant on marine microbiota. Chesapeake Sci. 14, 1-10.

121. FOX, D.L.; MOYER, M.S.; 1975: Effect of power plant chlorination on estuarine productivity. Chesapeake Sci. 16, 66-68.

122. GALLAWAY, B.J.; STRAWN, K.; 1974: Seasonal abundance and distribution of marine fishes at a hot-water discharge in Galveston Bay, Texas. Contr.mar.Sci. 18, 71-137.

123. GALLAWAY, B.J.; STRAWN, K.; 1975: Seasonal and areal comparisons of fish diversity at a hot-water discharge in Galveston Bay, Texas. Contr.mar.Sci. 19, 79-89.

124. GALLUP, D.N.; HICKMAN, M.; 1975: Effects of the discharge of thermal effluent from a power station on Lake Wabamun, Canada - limnological feature. Hydrobiologia 46, 45-69.

125. GAMMON, J.R.; 1973: The response of fish populations in the Wabash River to heated effluent. In no. 270, 513-523.

126. GENTRY, J.B. et al.; 1975: Thermal ecology of dragonflies in habitats receiving reactor effluent. In no. 179, 563-573.

128. GIBBONS, J.W.; 1970: Reproductive dynamics of a turtle (Pseudemys scripta) population in a reservoir receiving heated effluent from a nuclear reactor. Can.J.Zool. 48, 881-885.

129. GIBBONS, J.W.; 1975: Loss of body weight in largemouth bass (Micropterus salmoides) in a reservoir receiving thermal effluent: (Centrarchidae). Ass.SEast Biol.Bull. 22, 55.

130. GIBBONS, J.W.; BENNETT, D.H.; 1973: Abundance and local movement of largemouth bass (Micropterus salmoides) from a reactor. In no. 270, 524-527.

131. GIBBONS, J.W.; HOOK, J.T.; FORNEY, D.L.; 1972: Winter responses of largemouth bass to heated effluent from a nuclear reactor. Progve Fish Cult. 34, 88-90.

132. GIBBONS, J.W.; SHARITZ, R.R. (ed.); 1974: Thermal ecology. Atomic Energy Commn Conf. 730505, U.S.Dep. Commerce, Springfield, 650pp.

133. GIBBONS, J.W. et al.; 1975: Ecology of artificially heated streams, swamps and reservoirs on the Savannah River Estuary. In no. 179, 389-399.

134. GILMOUR, A.; McCALLUM, M.F.; ALLAN, M.C.; 1976: The bacteriology of power station effluent used to farm marine fish. Aquaculture 7, 357-362.

135. GINN, T.C.; WALLER, W.T.; LAUER, G.J.; 1974: The effects of power plant condensor cooling water entrainment on the amphipod, Gammarus sp. Wat.Res. 8, 937-945.

136. GONZALEZ, J.G.; HIGHLAND, R.; JOHNSON, R.; 1974: A drift bottle to study zooplankton in industrial cooling water. Carrib.J.Sci. 14, 83-88.

137. GOODYEAR, C.P.; 1977: Assessing the impact of power plant mortality on the compensatory reserve of fish populations. In no. 345, 186-195.

138. GRAHAM, T.P.; 1974: Chronic malnutrition in four species of sunfish in a thermally loaded impoundment. In no. 132, 151-157.

139. GRIMÅS, U.; 1970: Warm water effluents in Sweden. Mar.Pollut.Bull. 1, 151-152.

140. GRIMÅS, U.; 1975: Ecological aspects of cooling water discharges. Fauna Flora 70, 50-55.

141. GRIMÅS, U.; EHLIN, U.; 1975: Swedish studies on combination effects and some aspects on siting policy. In no. 179, 9pp.

142. GRIMES, C.B.; 1971: Thermal addition studies of the Crystal River Steam Electric Station. Fla Dep.nat.Resourc.prof.Pap.Ser. 11, 53pp.

143. GRIMES, C.B.; 1975: Entrapment of fishes on intake water screens at a steam electric generating station. Chesapeake Sci. 16, 172-177.

144. GRIMES, C.B.; MOUNTAIN, J.A.; 1971: Effects of thermal effluent upon marine fishes near the Crystal River Steam Electric Station. Fla Dep.nat.Resourc.prof.Pap.Ser. 17, 64pp.

145. GUERRA, C.R.; GODFRIAUX, B.L.; SHEAHAN, C.J.; 1976: Utilisation of waste heat from power plants by sequential culture of warm and cold weather species. In no. 216, V-C, 213-232.

146. GURTZ, M.E.; WEISS, C.M.; 1974: Effect of thermal stress on phytoplankton productivity in condensor cooling water. In no. 132, 490-507.

147. HADDERINGH, R.H.; 1975: Effects of the cooling water discharge on the macrofauna and fish populations around Flevo Power Station. Elektrotechniek 53, 18-20.

148. HADDERINGH, R.H.; 1975: Effects of the cooling water discharge on the macroinvertebrates and fish populations around Flevo Power Station. Verh.int.Ver.Limnol. 19, 2214-2218.

149. HAMILTON, D.H. et al.; 1970: Power plants: effects of chlorination on estuarine primary production. Science 169, 197-198.

150. HARDISTY, M.W.; HUGGINS, R.J.; 1975: A survey of the fish populations of the middle Severn Estuary based on power plant sampling. Int.J.Envir.Stud. 7, 227-242.

151. HARTMAN, R.M.; 1976: Proposed ansi guide for aquatic ecological surveys at thermal power plants. In no. 216, II-A, 7-24.

152. HATLE, Z.; LAMPAR, M.; 1975: Beneficial exploitation of waste heat. In no. 179, 731-740.

153. HAWES, F.B.; COUGHLAN, J.; SPENCER, J.F.; 1974: Heated discharges from thermal power stations. Effluent Wat.Treatm.J. 14, 549-553.

154. HAWES, F.B.; COUGHLAN, J.; SPENCER, J.F.; 1975: Environmental effects of the heated discharges from Bradwell Nuclear Power Station and of the cooling systems of other stations. In no. 179, 423-447.

155. HEDGPETH, J.W.; GONOR, J.J.; 1969: Aspects of the potential effect of thermal alteration on marine and estuarine benthos. In no. 206, 80-118.

156. HEFFNER, R.L. et al.; 1973: Effects of power plant operation on Hudson River estuary microbiota. In no. 270, 619-629.

157. HEINLE, D.R.; 1969: Temperature and zooplankton. Chesapeake Sci. 10, 186-209.

158. HESS, C.T.; SMITH, C.W.; PRICE, A.H.; 1976: Using heated effluent from a 835 mwe nuclear power reactor for shellfish aquaculture. In no. 216, VII-A, 41-72.

159. HESS, C.T.; SMITH, C.W.; PRICE, A.H.; 1977: A mathematical model of the accumulation of radionuclides by oysters (C.virginica) aquacultured in the effluent of a nuclear power reactor to include major biological parameters. Health Physics 33, 121-130.

160. HETLE, Z.; LAMPAR, M.; 1975: Beneficial exploitation of waste heat. In no. 179, 10pp.

161. HICKMAN, M.; 1974: Effects of the discharge of thermal effluent from a power station on Lake Wabamun, Alberta, Canada. Hydrobiologia 45, 199-215.

162. HICKMAN, M.; KLARER, D.M.; 1974: The growth of some epiphytic algae in a lake receiving thermal effluents. Arch.Hydrobiol. 74, 403-426.

163. HILLMAN, R.E.; DAVIS, N.W.; WENNEMER, J.; 1977: Abundance, diversity, and stability in shore-zone fish communities in an area of Long Island Sound affected by the thermal discharge of a nuclear power station. Estuar.coast.mar.Sci. 5, 355-381.

164. HOAK, R.D.; 1961: The thermal pollution problem. J.Wat.Pollut.Control Fed. 33, 1267-1276.

165. HOAK, R.D.; 1961: Defining thermal pollution. Power Engng 65, 39-42.

166. HOCKLEY, A.R.; 1963: Some effects of warm water effluents in Southampton waters. A.Rep.Challenger Soc. 3, 37-38.

167. HÖLL, K.; 1971: Gefährdung unserer Flüsse durch die Kühlwässer der Atomkraftwerke. Städtehygiene 22, 280-283.

168. HOLLAND, W.E. et al.; 1974: Thermal tolerances of fish from a reservoir receiving heated effluent from a nuclear reactor. Physiol.Zool. 47, 110-118.

169. HOLMBERG, B. et al.; 1973: Raising of salmonids in floating net cages in the cooling water from a nuclear power plant. Fish Health News 3, 6.

170. HOLMES, N.; 1970: Marine fouling in power stations. Mar.Pollut.Bull. 1, 105-106.

171. HOLMES, N.; 1970: Mussel fouling in chlorinated cooling systems. Chem.Ind. 24, 1244-1247.

172. HORST, T.J.; 1977: Effects of power station mortality on fish population stability in relationship to life history strategy. In no. 345, 297-310.

173. HORVATH, R.S.; BRENT, M.M.; 1972: Thermal pollution and the aquatic microbial community: possible consequences. Envir.Pollut. 3, 143-146.

174. HOWELL, F.G.; GENTRY, J.B.; 1974: Effect of thermal effluents from nuclear reactors on species diversity of aquatic insects. In no. 132, 562-571.

175. HUBBS, C.; 1972: Some thermal consequences of environmental manipulations of water. Biol.Conserv. 4, 185-188.

176. ILES, R.B.; 1963: Cultivating fish for food and sport in power station water. New Scient. 324, 227-229.

177. INTERNATIONAL ATOMIC ENERGY COMMISSION; 1971: Symposium on environmental aspects of nuclear power stations. Proceedings series, IAEA-SM-146, New York, 970pp.

178. INTERNATIONAL ATOMIC ENERGY COMMISSION; 1974: Thermal discharges at nuclear power stations. IAEA techn. Rep. 155, Vienna, 155pp.

179. INTERNATIONAL ATOMIC ENERGY COMMISSION; 1975: Environmental effects of cooling systems at nuclear power plants. Proceedings series, IAEA-SM-187, Vienna, 826pp.

180. ISAAC, R.A.; 1976: Power generation: effects on the aquatic environment in Massachusetts. In no. 216, III-B, 55-71.

181. JAAG, O.; 1972: Zum Problem der Aufwärmung von Flußwasser durch Kühlwässer aus Kernkraftwerken. Verh.int.Ver.Limnol. 18, 981-994.

182. JAMES, W.G.; 1967: Mussel fouling and the use of exomotive chlorination. Chem.Ind. 24, 994-996.

183. JEFFERS, F.J.; 1972: A method for minimizing effects of waste heat discharges. Int.J.Envir.Stud. 3, 321-327.

184. JENSEN, A.C.; 1970: Thermal loading in the marine district. New York Fish Game J. 17, 65-80.

185. JETER, P.E.; 1976: An approach to thermal water quality standards. In no. 216, II-A, 3-6.

186. JOKIEL, P.L.; COLES, S.L.; 1976: Effects of heated effluent on hermatypic corals at Kahe Point, Oahu. Pacif.Sci. 28, 1-18.

187. JOKIEL, P.L.; COLES, S.L.; 1976: Effects of heated effluent on hermatypic corals at Kahe Point, Oahu. Mar.Biol. 25, 163-176.

188. KAPLAN, C.H.; 1976: Case studies. Some solutions to thermal problems in the southeastern USA. In no. 216, VIII-C, 185-195.

189. KELLER, K.J ; 1973: Electricity generation and cooling water problems. Hydrobiol.Bull. 7, 83-85.

190. KELSO, R.M.; 1974: Influence of a thermal effluent on movement of brown bullhead (Ictalurus nebulosus) as determined by ultrasonic tagging. J.Fish.Res.Bd Can. 31, 1507-1513.

191. KERR, J.E.; 1953: Studies on fish preservation at Contra Costa Steam Plant of the Pacific Gas and Electric Company. Calif.Dep.Fish Game, Fish.Bull. 92, 66pp.

192. KHALANSKI, M.; 1975: Études realisées en France sur les consequences écologiques de la réfrigeration des centrales thermiques en circuit ouvert. In no. 179, 461-476.

193. KIEKHÄFER, H.; 1973: Bringen die Kraftwerke unsere Fische um? Fischwirt 23, 91-94.

194. KIRK, R.G.; 1972: A review of recent developments in Tilapia culture, with special reference to fish farming in the heated effluents of power stations. Aquaculture 1, 45-60.

195. KLARER, D.M.; HICKMAN, M.; 1976: The effect of thermal effluent upon the standing crops of an epiphytic algal community. Int.Revue ges.Hydrobiol. 60, 17-62.

196. KNÖPP, H.; 1969: Neuere Untersuchungen über die Wirkung von Kühlwasser auf die Selbstreinigung. Dt.gewässerkundl.Mitt. 13, Sonderheft, 63-69.

197. KNÖPP, H.; 1973: Biologisch-ökologische Konsequenzen der Kühlwassereinleitung. Strahlenschutz Forsch. Praxis 12, 130-141.

198. KOLEHMAINEN, S.E.; MARTIN, F.D.; SCHROEDER, P.B.; 1975: Thermal studies on tropical marine ecosystems in Puerto Rico. In no. 179, 409-421.

199. KOLEHMAINEN, S.E.; MORGAN, T.; CASTRO, R.; 1974: Mangrove-root communities in a thermally altered area in Guayanilla Bay, Puerto Rico. In no. 132, 371-390.

200. KOOPS, F.B.; 1973: Investigation of hydrobiological effects due to cooling water discharges of power plants. Hydrobiol.Bull. 7, 86-95.

201. KOOPS, F.B.; 1975: Plankton investigations near Flevo Power Station. Verh.int.Ver.Limonol. 19, 2207-2213.

202. KOOPS, F.B.; 1975: Plankton investigations near Flevo Power Station. Elektrotechniek 53, 15-17.

203. KOOPS, F.B.; 1975: Afzetting van organismen in koel-watersystemen. Elektrotechniek 53, 550-554.

204. KOSTYNECHENKO, L.P.; 1971: Distribution of fish plankton in the zone affected by warm water discharge from Novorossiysk thermal power station. J.Ichthyol. 11, 866-871.

205. KRENKEL, P.A.; PARKER, F.L.; 1969: Engeneering aspects, sources, and magnitude of thermal pollution. In no. 206, 10-52.

206. KRENKEL, P.A.; PARKER, F.L. (eds); 1969: Biological aspects of thermal pollution. Vanderbilt University Press, 407pp.

207. KRENKEL, P.A. et al.; 1976: An overview of waste heat management in TVA. In no. 216, V-C, 133-152.

208. KROLEWSKI, H.; 1967: Die künstliche Erwärmung des Flußwassers und deren Auswirkungen. Wasserwirtschaft 57, 296-300.

209. KROLEWSKI, H.; RESCH, G.; 1965: Untersuchungen über die Änderungen des Sauerstoffgehaltes im Kühlwasser von Dampfkraftwerken. Wasserwirtschaft 55, 44-47.

210. LANDRY, A.M.; STRAWN, K.; 1973: Annual cycle of sport-fishing activity at a warmwater discharge into Galveston Bay, Texas. Trans.Am.Fish.Soc. 102, 573-577.

211. LANGFORD, T.E.; 1971: The abundance, distribution and life histories of stoneflies (Plecoptera) and mayflies (Ephemeroptera) in a British river, warmed by cooling-water from a power station. Hydrobiologia 38, 339-377.

212. LANGFORD, T.E.; ASTON, R.J.; 1972: The ecology of some British rivers in relation to warm water discharges from power stations. Proc.R.Soc. B 180, 407-419.

213. LANNER, M.; PEJLER, B.; 1973: The effects of cooling water discharges on zooplankton in a bay of Lake Mälaren. Rep.Inst.Freshwat.Res.Drottningholm 53, 31-33.

214. LARSEN, P.; 1972: Synpunkter på tillåtligt temperatur-överskott hos kylvatten. Vatten 28, 152-155.

215. LEBRETON, P.; 1976: Ecological consequences of atomic power stations on the sea shore. Bull.Ecol. 7, 33-59.

216. LEE, S.S.; SENGUPTA, S. (eds); 1976: Waste heat management and utilization. University of Miami Conference Services, 1908pp.

217. LEHMKUHL, D.M.; 1974: Thermal regime alteration and vital environmental physiological signals in aquatic organisms. In no. 132, 216-222.

218. LEVIN, A.A. et al.; 1972: Thermal discharges: ecological effects. Envir.Sci.Technol. 6, 224-230.

219. LEYNAUD, G.; 1967: Les pollutions thermiques. Influence de la température sur la vie aquatique. Bull. techn.Inf.Min.Agric. 224, 857-881.

220. LEYNAUD, G.; ALLARDI, J.; 1975: Incidences d'un rejet thermique en milieu fluvial sur les mouvements des populations ichthyologiques. In no. 179, 401-407.

221. LIND, O.T.; 1975: Effects of thermal circulation on phytoplankton photosynthesis. Verh.int.Ver.Limnol. 19, 1829-1833.

222. LOGAN, D.T.; MAURER, D.T.; 1975: Diversity of marine invertebrates in a thermal effluent. J.Wat.Pollut.Control Fed. 47, 515-523.

223. LORENZEN, M.W.; 1976: Effects of power plant induced mortality on Neomysis and striped bass populations. In no. 216, XI-A, 3-4.

224. MANN, K.H.; 1965: Heated effluents and their effects on the invertebrate fauna of rivers. Proc.Soc.Wat.Treatm.Exam. 14, 45-53.

225. MARCY, B.C.; 1971: Survival of young fish in the discharge canal of a nuclear power plant. J.Fish.Res.Bd Can. 28, 1057-1060.

226. MARCY, B.C.; 1973: Vulnerability and survival of young Connecticut fish entrained at a nuclear power plant. J.Fish.Res.Bd Can. 30, 1195-1203.

227. MARCY, B.C.; 1974: Entrainment of organisms at power plants, with emphasis on fishes - an overview. In SAILA, S.B. (ed.): Fisheries and energy production: a symposium." Lexington Books, Mass., 89-106.

228. MARCY, B.C.; GALVIN, R.C.; 1973: Winter-spring sport fishery in the heated discharge of a nuclear power plant. J.Fish Biol. 5, 541-547.

229. MARCY, B.C.; JACOBSEN, B.M.; NANKEE, R.L.; 1972: Observations on the reactions of young American shad to a heated effluent. Trans.Am.Fish.Soc. 101, 740-743.

230. MARGREY, S.L. et al.; 1977: An assessment of intermittent chlorination and bromochlorination schemes for control of fouling organisms in cooling water systems utilising estuarine waters. Ass.SEast Biol.Bull. 24, 69-70.

231. MARKOWSKI, S.; 1959: The cooling water of power stations: a new factor in the environment of marine and freshwater invertebrates. J.Anim.Ecol. 28, 243-258.

232. MARKOWSKI, S.; 1960: Observations on the response of some benthonic organisms to power station cooling water. J.Anim.Ecol. 29, 349-357.

233. MARKOWSKI, S.; 1962: Faunistic and ecological investigations in Cavendish Dock, Barrow-in-Furness. J.Anim.Ecol. 31, 43-51.

234. MARSHALL, J.S.; TILLY, L.J.; 1973: Temperature effects on phytoplankton productivity in a reactor cooling pond. In no. 270, 645-651.

235. MARTIN, W.J.; GENTRY, J.B.; 1974: Effect of thermal stress on dragonfly nymphs. In no. 132, 133-145.

236. MASSENGILL, R.R.; 1973: Change in feeding and body condition of brown bullheads overwintering in the heated effluent of a power plant. Chesapeake Sci. 14, 138-141.

237. McCAUGHRAN, D.A.; 1977: The quality of inferences concerning the effects of nuclear power plants of the environment. In no. 345, 229-242.

238. McFADDEN, J.T.; 1977: An argument supporting the reality of compensation in fish populations and a plea to let them exercise it. In no. 345, 153-183.

239. McMAHON, J.W.; DOHERTY, A.E.; 1975: Effects of heat enrichment on species succession and primary production in fresh-water plankton. In no. 179, 529-545.

240. McNAUGHT, D.C.; FENLON, M.W.; 1972: The effects of thermal pollution on secondary production. Verh.int.Ver.Limnol. 18, 204-212.

241. McNEELY, D.L.; PEARSON, W.D.; 1974: Distribution and condition of fishes in a small reservoir receiving heated waters. Trans.Am.Fish.Soc. 103, 518-530.

242. MIHURSKY, J.A.; 1967: On possible constructive uses of thermal additions to estuaries. Bioscience 1967, 698-702.

243. MIHURSKY, J.A.; KENNEDY, V.S.; 1967: Water temperature criteria to protect aquatic life. Am.Fish.Soc. 96 Suppl., 20-32.

244. MIHURSKY, J.A.; McERLEAN, A.J.; KENNEDY, V.S.; 1970: Thermal pollution, aquaculture and pathobiology in aquatic systems. J.Wildl.Dis. 6, 347-355.

245. MILLER, D.C.; BECK, A.D.; 1975: Development and application of criteria for marine cooling water. In no. 179, 639-657.

246. MILLER, R.W.; 1974: Incidence and cause of gas-bubble disease in a heated effluent. In no. 132, 79-93.

248. MINER, R.M.; WARRICK, J.W.; 1975: Environmental effects of cooling system alternatives at inland and coastal sites. Nucl.Techn. 25, 640-650.

249. MITCHELL, N.T.; 1973: Radioactivity in surface and coastal waters of the British Isles 1971. Min.Agric. Fish.Food Scotland, techn.Rep.FRL 9, 34pp.

250. MÖLLER, H.; 1978: Ecological effects of cooling water of a power plant at Kiel Fjord. Meeresforsch. 26, (in press).

251. MOORE, C.J.; FRISBIE, C.M.; 1972: A winter sport fishing survey in a warm water discharge of a steam electric station on the Patuxent River, Maryland. Chesapeake Sci. 13, 110-115.

252. MOORE, C.J. et al.; 1973: A sport fishing survey in the vicinity of a steam electric station of the Patuxent River, Maryland. Chesapeake Sci. 14, 160-170.

253. MORGAN, R.P.; STROSS, R.G.; 1969: Destruction of phytoplankton in the cooling water supply of a steam electric station. Chesapeake Sci. 10, 165-171.

254. MOSS, S.A.; LEGGETT, W.C.; BOYD, W.A.; 1976: Recurrent mass mortalities of the blueback herring Alosa aestivalis in the lower Connecticut River. Am.Fish.Soc.Monogr. 1, 227-234.

255. MOTHES, G.; KOSCHEL, R.; SCHEFFLER, W.; 1976: Einfluß der Aufwärmung eines Sees durch ein Kraftwerk auf Stoffproduktion und Phosphorhaushalt. Limnologica 10, 489-502.

256. MOUNT, D.I.; 1969: Developing thermal requirements for freshwater fishes. In no. 206, 140-147.

257. MOUNTAIN, J.A.; 1972: Further thermal addition studies at Crystal River, Florida, with an annoted checklist of marine fishes collected 1969-1971. Fla Dep.nat.Resour., prof.Pap.Ser. 20, 103pp.

258. MOYER, S.; ASCE, F.; RANEY, E.C.; 1969: Thermal discharges from large nuclear plant. J.sanit.Engng Div. 1969, 1131-1163.

259. MURPHY, T.M.; BRISBIN, I.L.; 1974: Distribution of alligators in response to thermal gradients in a reactor cooling reservoir. In no. 132, 313-321.

260. NAKATANI, R.E.; 1969: Effects of heated discharges on anadromous fishes. In no. 206, 294-317.

261. NAKATANI, R.E.; MILLER, D.; TOKAR, J.V.; 1971: Thermal effects and nuclear power stations in the USA. In no. 177, 561-572.

262. NASH, C.E.; 1969: Thermal aquaculture. Sea Frontiers 15, 268-276.

263. NASH, C.E.; 1974: Residual chlorine retention and power plant fish farms. Progve Fish Cult. 36, 92-95.

264. NAUMANN, J.W ; CORY, R.L.; 1969: Thermal additions and epifaunal organisms at Chalk Point, Maryland. Chesapeake Sci. 10, 218-226.

265. NAYLOR, E.; 1959: The fauna of a warm dock. Proc.15th int.Congr.Zool., sect. 3, 259-262.

266. NAYLOR, E.; 1965: Effects of heated effluents upon marine and estuarine organisms. Adv.mar.Biol. 3, 63-103.

267. NAYLOR, E.; 1965: Biological effects of a heated effluent in docks at Swansea, South Wales. Proc.zool.Soc. 144, 253-268.

268. NEILL, W.H.; MAGNUSON, J.J.; 1974: Distributional ecology of fishes in relation to heated effluent from a power plant at Lake Monona, Wisconsin. Trans.Am.Fish.Soc. 103, 663-710.

269. NEILSON, B.J.; 1976: Exploiting natural oyster populations through waste heat utilisation. In no. 216, 27-40.

270. NELSON, D.J. (ed.); 1973: Radionuclides in ecosystems. Proc.3rd natn Symp.Radioecol., U.S.Atomic Energy Commn, Oak Ridge.

271. NELSON, D.H.; 1974: Growth and developmental responses of larval toad populations to heated effluent in a South Carolina reservoir. In no. 132, 264-276.

272. NORTH, W.J.; 1969: Biological effects of a heated water discharge at Morro Bay, California. Proc.int.Seaweed Symp. 6, 275-286.

273. NYMAN, L.; 1975: Behaviour of fish influenced by hotwater effluents as observed by ultrasonic tagging. Rep.Inst.Freshwat.Res.Drottningholm 54, 63-74.

274. NYMAN, L.; 1975: Allelic selection in a fish (Gymnaephalus cernua (L)) subjected to hotwater effluents. Rep.Inst.Freshwat.Res.Drottningholm 54, 75-82.

275. ODUM, H.T.; 1974: Energy cost-benefit models for evaluating thermal plumes. In no. 132, 628-648.

276. OLSON, T.A.; 1968: Biological aspects of heat pollution. J.Minnesota Acad.Sci. 35, 25-29.

277. PAGE-JONES, R.M.; 1971: The automatic detection of low levels of dissolved free chlorine in fish farming experiments using seawater effluents. Progve Fish Cult. 33, 99-102.

278. PANNELL, J.P.; JOHNSON, A.E.; RAYMONT, J.E.; 1962: An investigation into the effects of warmed water from Marchwood Power Station into Southampton water. Proc.Inst.civ.Engrs 23, 35-62.

279. PARKER, E.D.; HIRSHFIELD, M.F.; GIBBON, J.W.; 1973: Ecological comparisons of thermally affected aquatic environments. J.Wat.Pollut.Control Fed. 45, 726-733.

280. PARKER, F.L.; 1973: Thermal discharges from power stations. Atomic Energy Rev. 11, 793-841.

281. PATRICK, R.; 1969: Some effects of temperature on freshwater algae. In no. 206, 161-185.

282. PATRICK, R.; 1969: The potential of various types of thermal effects on Chesapeake Bay. J.Wash.Acad.Sci. 62, 140-144.

283. PATRICK, R.; 1974: Effects of abnormal temperatures on algal communities. In no. 132, 335-349.

284. PEARCE, D.W.; 1965: Plankton of an artificially heated dock. A.Rep.Challenger Soc. 3, 24-25.

285. PETTY, L.L.; MAGNUSON, J.J.; 1974: Lymphocystis in age 0 bluegills (Lepomis macrochirus) relative to heated effluent in Lake Monona, Wisconsin. J.Fish.Res.Bd Can. 31, 1189-1193.

286. PHILBIN, T.W.; PHILIPP, H.D.; 1971: Thermal effects studies in New York State. In no. 177, 575-588.

287. POLTOROCKA, J.; 1968: Specific composition of phytoplankton in a lake warmed by waste water from a thermoelectric plant and lakes with a normal temperature (in Polish). Acta Soc.Bot.Poloniae 37, 297-325.

288. POURRIOT, R.; ROUYER, G.; PELTIER, M.; 1972: Prolifération de rotifères épiphytes et pollution thermique dans la Loire. Bull.Franc.Piscic. 244, 111-118.

289. POWLES, P.M.; 1974: Survival of Australian anchovy (Engraulis australis) eggs and larvae in a heat trap. In BLAXTER, J.H. (ed.): "The early life history of fish." Springer, Berlin, 373-381.

290. PRICE, A.H.; HESS, C.T.; SMITH, C.W.; 1976: A field study of Crassostrea virginica cultured in the heated effluent and discharged radionuclides of a nuclear power reactor. Proc.natn Shellfish Ass. 66.

291. RANEY, E.C.; MENZEL, B.W.; 1967: A bibliography - heated effluents and effects on aquatic life with emphasis on fishes. Ichthyol.Ass.Bull.Cornell Univ. 1, 89pp.

292. RANEY, E.C.; MENZEL, B.W.; 1969: Heated effluents and effects on aquatic life, with emphasis on fishes: bibliography. Ichthyol.Ass.Bull.Cornell Univ. 2, 470pp.

293. RANEY, E.C.; MENZEL, B.W.; WELLER, E.C.; 1973: Heated effluents and effects on aquatic life with emphasis on fishes - a bibliography. Ichthyol.Ass.Bull. Cornell Univ. 9, 651pp.

294. RANKIN, J.S.; BUCK, J.D.; FOERSTER, J.W.; 1974: Thermal effects on the microbiology and chemistry of the Connecticut River - a summary. In no. 132, 350-355.

295. RAYMONT, J.E.; 1972: Some effects of pollution in Southampton water. Proc.R.Soc. B 180, 451-468.

296. REEVE, M.R.; 1970: Seasonal changes in the zooplankton of south Biscayne Bay and some problems of assessing the effects on the zooplankton of natural and artificial thermal and other fluctuations. Bull.mar.Sci. 20, 894-921.

297. REIMANN, K.; 1975: Gewässererwärmung durch Kühlwasser aus Energiekraftwerken - biologische und chemische Folgen Folgen -. Münchner Beitr.Abwass.Fisch.Flußbiol. 26, 49-58.

298. ROESSLER, M.A.; 1971: Environmental changes associated with a Florida power plant. Mar.Pollut.Bull. 2, 87-90.

299. ROLAN, R.G.; 1974: The fresh-water polychaete, Manayunkia speciosa, in a thermal discharge channel, Cleveland Harbour, Lake Erie. Am.Midl.Natur. 92, 207-213.

300. ROLFES, J.K. et al.; 1974: Ecological base-line study of the fish of the Anclote anchorage. In no. 132, 448-461.

301. ROMBERG, G.P. et al.; 1974: Fish behavior at a thermal discharge into Lake Michigan. In no. 132, 296-312.

302. ROMERIL, M.G.; DAVIS, M.H.; 1976: Trace metal levels in eels grown in power station cooling water. Aquaculture 8, 139-149.

303. ROOSENBURG, W.H.; 1969: Greening and copper accumulation in the American oyster, Crassostrea virginica, in the vicinity of a steam electric generating station. Chesapeake Sci. 10, 241-252.

304. RUELLE, R.; LORENZEN, W.; OLIVER, J.; 1977: Population dynamics of young-of-the-year fish in a reservoir receiving heated effluent. In no. 345, 46-67.

305. SAILA, S.B.; LORDA, E.; 1977: Sensitivity analysis applied to a matrix model of the Hudson River striped bass population. In no. 345, 311-332.

306. SAPPO, G.B.; 1976: Some morpho-physiological indices of bream from the zone of heated water discharged from the Konakovskaja hydropower station (in Russian). Proc.all-Union Res.Inst.mar.Fish.Oceanogr. 66, 81-87.

307. SCHNEIDER, M.J. et al.; 1975: The aquatic physiology of thermal and chemical discharges. In no. 179, 547-560.

308. SHARITZ, R.R.; GIBBONS, J.W.; GAUSE, S.C.; 1974: Impact of production-reactor effluents on vegetation in a southeastern swamp forest. In no. 132, 356-362.

309. SHARITZ, R.R.; IRWIN, J.E.; CHRISTY, E.J.; 1974: Vegetation of swamps receiving reactor effluents. Oikos 25, 7-13.

310. SHCHERBUKHA, A.Y.; 1973: Variability of some of the morphobiological indicators of the white bream (Blicca bjoerkna (L.)) in heated waters of the Aydar and the northern Donets. Trans.Am.Fish.Soc. 13, 483.

311. SILVERMAN, M.J.; 1972: Tragedy at Northport. Underwat.Natur. 7, 15-18.

312. SIMMONS, G.M.; ARMITAGE, B.J.; WHITE, J.C.; 1974: An ecological evaluation of heated water discharge on phytoplankton blooms in the Potomac River. Hydrobiologia 45, 441-465.

313. SLADECKOVA, A.; 1969: Control of slime and algae in cooling systems. Verh.int.Ver.Limnol. 17, 532.

314. SMITH, R.C.; TEAS, H.J.; 1976: Biological effects of thermal effluent from the Cutler Power Plant in Biscayne Bay, Florida. In no. 216, II-B, 91-106.

315. SMITH, W.H. et al.; 1974: Total metabolism of thermally affected coastal systems on the west coast of Florida. In no. 132, 475-489.

316. SNYDER, G.R.; 1969: Effects of heated discharges on anadromous fishes. In no. 206, 318-337.

317. SOLSKI, A.; 1974: The influence of discharged heated waters from the power station at Skawina on microflora of Vistula River. Polskie Archwm Hydrobiol. 21, 75-82.

318. SPIGARELLI, S.A.; 1975: Behavioural responses of Lake Michigan fishes to a nuclear power plant discharge. In no. 179, 479-498.

319. SPIGARELLI, S.A.; ROMBERG, G.P.; THORNE, R.E.; 1973: A technique for simultaneous echo location of fish and thermal plume mapping. Trans.Am.Fish.Soc. 102, 462-466.

320. SPIGARELLI, S.A. et al.; 1974: Body-temperature characteristics of fish at a thermal discharge on Lake Michigan. In no. 132, 119-132.

321. STANGENBERG, M.; PAWLACZYK, M.; 1961: The influence of a warm-water influx from a power-station upon the formation on biocenotic communities in a river (in Polish). Zesz.nauk.Polit.Wroclaw 40, 47-106.

322. STAUFFER, J.R.; DICKSON, K.L.; CAIRNS, J.; 1974: A field evaluation of the effects of heated discharges on fish distribution. Wat.Resour. Bull. 10, 860-876.

323. STEIDINGER, K.A.; VAN BREEDVELD, J.F.; 1971: Benthic marine algae from waters adjacent to the Crystal River Electric Power Plant (1969 and 1970). Fla Dep.nat.Resour., prof.Pap.Ser. 16, 46pp.

324. STORR, J.F.; 1974: Plankton entrainment by the condensor systems of nuclear power stations on Lake Ontario. In no. 132, 291-295.

325. STORR, J.F.; SCHLENKER, G.; 1974: Response of perch and their forage to thermal discharges in Lake Ontario. In no. 132, 363-370.

326. STRANEY, D.O.; BRIESE, L.A.; SMITH, M.H.; 1974: Bird diversity and thermal stress in a cypress swamp. In no. 132, 572-578.

327. STRICKLAND, J.B.; 1969: Remarks on the effects of heated discharges on marine zooplankton. In no. 206, 73-77.

328. SVERDLOV, A. et al.; 1970: A new method of overcoming the fouling of e.w. systems of thermal electric power stations by the shells of molluscs. Elektricheski Stantsii 41, 33-36.

329. SWARTZMAN, G.; DERISO, R.; COWAN, R.; 1977: Comparison of simulation models used in assessing the effects of power-plant-induced mortality on fish populations. In no. 345, 333-361.

330. SYLVESTER, J.R.; 1972: Possible effects of thermal effluents on fish: a review. Envir.Pollut. 3, 205-215.

331. SYLVESTER, J.R.; 1975: Biological considerations on the use of thermal effluents for finfish aquaculture. Aquaculture 6, 1-10.

332. TARZWELL, C.M.; 1970: Thermal requirements to protect aquatic life. J.Wat.Pollut.Control Fed. 42, 824-828.

333. TARZWELL, C.M.; 1972: An argument for the open ocean siting of coastal thermal electric plants. J.Envir.Qual. 1, 89-91.

334. TEMPLETON, W.L.; COUTANT, C.C.; 1971: Studies on the biological effects of thermal discharges from nuclear reactors to the Columbia River at Hanford. In no. 177, 591-612.

335. TEMPLETON, W.L.; OLSON, R.J.; 1972: Predictive models of mortality of young fish in a thermal plume. In no. 270, 945-949.

336. THORHAUG, A.; 1974: Effect of thermal effluents on the marine biology of southeastern Floride. In no. 132, 518-531.

337. THORHAUG, A.; SCHROEDER, P.B.; 1976: A comparison of the biological effects of heated effluents from two fossil fuel plants: Biscayne Bay, Florida, in the subtropics; Guayanilla Bay, Puerto Rico, in the tropics. In no. 216, XI-B, 133-164.

338. THORHAUG, A.; SEGAR, D.; ROESSLER, M.A.; 1973: Impact of a power plant on a subtropical estuarine environment. Mar.Pollut.Bull. 4, 166-169.

339. TILLY, L.J.; 1974: Respiration and net productivity of the plankton community in a reactor cooling reservoir. In no. 132, 462-474.

340. TINSMAN, J.C.; MAURER, D.I.; 1974: Effects of a thermal effluent on the American oyster. In no. 132, 223-236.

341. TULLIS, D.H.; NEILL, L.C.; HENDERSON, A.T.; 1959: Control of marine organisms in a salt-water cooling system. J.Inst.Petrol. 45, 155-167.

342. TUROBOYSKI, L.; 1973: Investigations on influence of heated waters from the power station on Skawinka and Vistula Rivers. Polskie Archwm Hydrobiol. 20, 443-460.

343. VAILLANCOURT, G.; COUTURE, R.; 1975: Influence de l'apport thermique originaire de la centrale nucleaire Gentilly sur la température de l'eau et sur les gasteropodes. In no. 179, 449-459.

344. VAN DREVELDT, T.; BAKKER, J.F.; 1962: Electrical fish screening at the Maas Central Power Station, Buggenum. Elektrotechniek 40, 257-259.

345. VAN WINKLE, W. (ed.); 1977: Assessing the effects of power-plant-induced mortality on fish populations. Pergamon Press, ISBN 0-08-021950-0, 380pp.

346. VOUGLITOIS, J.J.; LOVELAND, R.B.; 1974: Growth of oysters in the thermal outfall of a nuclear power plant. Bull.N.J.Acad.Sci. 18, 18.

347. WAGENHEIM, K.; 1974: Fish-kill at Oyster Creek, New Jersey. Biol.Conserv. 6, 70-71.

348. WALFORD, L.; MERRIMAN, D.; 1969: Allowable thermal pollution limits - a physicochemical approach. Chesapeake Sci. 10, 289-291.

349. WALNE, P.R.; 1970: Fischzucht im Kühlwasser von Atomkraftwerken - ein britischer Beitrag zur Aquakultur. Fischwirt 20, 205-208.

350. WARINNER, J.E.; BREHMER, M.L.; 1966: The effects of thermal effluents on marine organisms. Int.J.Air Wat.Pollut. 10, 277-289.

351. WATSON, D.G.; 1970: Fall chinook salmon spawning in the Columbia River near Hanford, 1947-1969. Battelle Mem.Inst.Richland, BNWL-1515.

352. WHITE, J.W.; WOOLCOTT, W.S.; KIRK, W.L.; 1977: A study of the fish community in the vicinity of a thermal discharge in the James River, Virginia. Chesapeake Sci. 18, 161-171.

353. WHITEHOUSE, J.W.; 1971: Some aspects of the biology of Lake Trawsfynydd; a power station cooling pond. Hydrobiologia 38, 253-288.

354. WIEDERHOLM, T.; 1971: Bottom fauna and cooling water discharges in a basin of Lake Mälaren. Rep.Inst.Freshwat. Res.Drottningholm 51, 197-214.

355. WILCOX, J.R.; 1976: Waste heat utilisation in aquaculture: some futuristic and plausible schemes. In no. 216, X-A, 35-46.

356. WURTZ, C.B.; 1969: The effects of heated discharges on freshwater benthos. In no. 206, 199-213.

357. YAMAZAKI, M.; 1965: Problems in using sea water for condensor cooling in a thermal power station. Adv.Wat.Pollut.Res. 3, 117-132.

358. YARDLEY, D. et al.; 1974: Biochemical genetics of sunfish III. Genetic subdivision of fish populations inhabiting heated waters. In no. 132, 255-263.

359. Yee, W.C.; 1972: Thermal aquaculture: engineering and economics. Envir.Sci.Technol. 6, 232-237.

360. YOUNG, D.L.; 1974: Studies of Florida Gulf coast salt marshes receiving thermal discharges. In no. 132, 532-550.

361. YOUNG, J.S.; 1974: Menhaden and power plants - a growing concern. Mar.Fish.Rev. 36, 19-23.

362. YOUNG, J.S.; FRAME, A.B.; 1976: Some effects of a power plant effluent on estuarine epibenthic organisms. Int.Revue ges.Hydrobiol. 61, 37-61.

363. YOUNG, J.S.; GIBSON, C.I.; 1973: Effect of thermal effluent on migrating menhaden. Mar.Pollut.Bull. 4, 94-96.

364. ZAWACKI, C.S.; BRIGGS, P.T.; 1976: Fish investigations in Long Island Sound at a nuclear power station site at Shoreham New York USA. New York Fish Game J. 23, 34-50.

365. ZIEMAN, J.C.; 1969: Pollution thermique due à une importante centrale nucléaire. Etat actuel et avenir. J.Sanit.Engng Div. 12, 1131-1163.

366. ZIEMAN, J.C.; FERGUSON WOOD, E.J.; 1975: Effects of thermal pollution on tropical-type estuaries, with emphasis on Biscayne Bay Florida. in FERGUSON WOOD, E.J.; JOHANNES, R.E. (eds): "Tropical marine pollution." Elsevier sci.publ.Comp., Amsterdam, 75-98.

367. ANON.; 1971: Thermal pollution fish kill. Bull.Sport Fishings Inst. 223(4), 3.

368. ANON.; 1972: Thermal fish kill. Bull.Sport Fishings Inst. 232(3), 7.

369. ANON.; 1973: Menhaden killed near Pilgrim power station. Mar.Pollut.Bull. 4, 86.

K E Y W O R D S O F I N D E X

code number	
1	recommended review
2	presentation of original data or citation of reports not available to the public.
3	theoretical discussion only
4	others (short notes, description of research projects, compilations, etc.)
5	investigation in fresh water area
6	investigation in brackish area
7	investigation in marine area
8	screening of fishes
9	entrainment of phytoplankton; primary production in the discharge area
10	entrainment of zooplankton; secondary production in the discharge area
11	entrainment of ichthyoplankton
12	bacteriology in the discharge area
13	phytobenthos in the discharge area
14	molluscs in the discharge area
15	other zoobenthos groups in the discharge area
16	free living fishes in the discharge area
17	caged fishes in the discharge area
18	uptake of non-radioactive substances in organisms from the discharge area
19	uptake of radioactive substances in organisms from the discharge area.
20	oxygen contents in the discharge area
21	fouling; effects of antifoulings
22	alterations of growth and condition factor
23	alterations in breeding and spawning
24	attraction of fishes to the discharge area
25	parasites and diseases
26	fish kills
27	aquaculture of invertebrates
28	aquaculture of fishes


running number of citation
running number of citation
1 (review)
2 (original data)
3 (theory)
4 (others)
5 (fresh water)
6 (brackish water)
7 (marine water)
8 (screening fish)
9 (phytoplankton)
10 (zooplankton)
11 (ichthyoplankton)
12 (bacteriology)
13 (phytobenthos)
14 (molluscs)
15 (other zoobenthos)
16 (free fish)
17 (caged fish)
18 (uptake, non-rad.)
19 (uptake, radioact.)
20 (oxygen content)
21 (fouling)
22 (growth, condition)
23 (breeding, spawn.)
24 (fish attraction)
25 (parasites, disease)
26 (fish kills)
27 (aquacult. invert.)
28 (aquacult. fish)
various authors


1 (review)
2 (original data)
3 (theory)
4 (others)
5 (fresh water)
6 (brackish water)
7 (marine water)
8 (screening fish)
9 (phytoplankton)
10 (zooplankton)
11 (ichthyoplankton)
12 (bacteriology)
13 (phytobenthos)
14 (molluscs)
15 (other zoobenthos)
16 (free fish)
17 (caged fish)
18 (uptake, non-rad.)
19 (uptake, radioact.)
20 (oxygen content)
21 (fouling)
22 (growth, condition)
23 (breeding, spawn.)
24 (fish attraction)
25 (parasites, disease)
26 (fish kills)
27 (aquacult. invert.)
28 (aquacult. fish)


1 (review)
2 (original data)
3 (theory)
4 (others)
5 (fresh water)
6 (brackish water)
7 (marine water)
8 (screening fish)
9 (phytoplankton)
10 (zooplankton)
11 (ichthyoplankton)
12 (bacteriology)
13 (phytobenthos)
14 (molluscs)
15 (other zoobenthos)
16 (free fish)
17 (caged fish)
18 (uptake, non-rad.)
19 (uptake, radioact.)
20 (oxygen content)
21 (fouling)
22 (growth, condition)
23 (breeding, spawn.)
24 (fish attraction)
25 (parasites, disease)
26 (fish kills)
27 (aquacult. invert.)
28 (aquacult. fish)
131.
132. various authors
133.
134.
135.
136.
137.
138.
139.
140.
141.
142.
143.
144.
145.
146.
147.
148.
149.
150.
151.
152.
153.
154.
155.
156.
157.
158.
159.
160.
161.
162.
163.
164.
165.
166. ?
167. ?
168.
169.
170.
171.
172.
173.
174.
175.
176.
177. various authors
178.
179. various authors
180.
181. ?
182.
183.
184.
185.
186.
187.
188.
189. ?
190.
191.
192.
193.
194.
195.
196.
197.
198.
199.
200.

	1 (review)	2 (original data)	3 (theory)	4 (others)	5 (fresh water)	6 (brackish water)	7 (marine water)	8 (screening fish)	9 (phytoplankton)	10 (zooplankton)	11 (ichthyoplankton)	12 (bacteriology)	13 (phytobenthos)	14 (molluscs)	15 (other zoobenthos)	16 (free fish)	17 (caged fish)	18 (uptake, non-rad.)	19 (uptake, radioact.)	20 (oxygen content)	21 (fouling)	22 (growth, condition)	23 (breeding, spawn.)	24 (fish attraction)	25 (parasites, disease)	26 (fish kills)	27 (aquacult. invert.)	28 (aquacult. fish)
201.		+			+				+																			
202.		+			+				+																			
203.			+																									
204.		+			+						+																	
205.		+			+															+								
206.	various authors																											
207.				+																								
208.		+			+															+								
209.		+			+															+								
210.		+					+									+								+				
211.		+			+										+					+								
212.		+			+										+					+								
213.		+			+					+																		
214.			+																									
215.			+				+																					
216.	various authors																											
217.		+			+										+													
218.			+																									
219.				+																								
220.		+			+										+	+								+				
221.		+			+				+																			
222.		+				+			+	+																		
223.		+					+			+	+												+					
224.		+			+									+	+													
225.		+			+						+																	
226.		+				+					+																	
227.	+																											
228.		+				+																		+				
229.		+				+										+	+											
230.		+				+															+							
231.		+			+	+	+			+				+	+					+								
232.		+				+							+	+	+													
233.		+				+								+	+													
234.		+			+				+																			
235.		+			+										+													
236.		+				+										+						+						
237.			+																									
238.			+																									
239.		+			+				+	+																		
240.		+			+					+																		
241.		+			+											+						+		+				
242.				+																								
243.			+																									
244.			+																									
245.	+																											
246.		+			+											+				+					+			
248.			+																									
249.		+				+	+												+								
250.		+				+		+						+	+	+								+	+			
251.		+				+										+												
252.		+				+										+								+				
253.		+				+			+																	+		
254.		+				+																						
255.		+			+				+			+																
256.			+																									
257.		+				+							+	+	+	+		+		+								
258.			+																									
259.		+			+																							
260.		+			+											+									+			
261.			+																									
262.				+																	+							
263.		+																										
264.		+				+			+	+													+					
265.		+					+							+	+													
266.	+																											
267.		+					+		+	+																		
268.		+			+											+								+				
269.		+				+																					+	
270.	various authors																											


1 (review)
2 (original data)
3 (theory)
4 (others)
5 (fresh water)
6 (brackish water)
7 (marine water)
8 (screening fish)
9 (phytoplankton)
10 (zooplankton)
11 (ichthyoplankton)
12 (bacteriology)
13 (phytobenthos)
14 (molluscs)
15 (other zoobenthos)
16 (free fish)
17 (caged fish)
18 (uptake, non-rad.)
19 (uptake, radioact.)
20 (oxygen content)
21 (fouling)
22 (growth, condition)
23 (breeding, spawn.)
24 (fish attraction)
25 (parasites, disease)
26 (fish kills)
27 (aquacult. invert.)
28 (aquacult. fish)
271.
272.
273.
274.
275.
276.
277.
278.
279.
280.
281.
282.
283.
284.
285.
286.
287.
288.
289.
290.
291.
292.
293.
294.
295.
296.
297.
298.
299.
300.
301.
302.
303.
304.
305.
306.
307.
308.
309.
310.
311.
312.
313.
314.
315.
316.
317.
318.
319.
320.
321.
322.
323.
324.
325.
326.
327.
328.
329.
330.
331.
332.
333.
334.
335.

	1 (review)	2 (original data)	3 (theory)	4 (others)	5 (fresh water)	6 (brackish water)	7 (marine water)	8 (screening fish)	9 (phytoplankton)	10 (zooplankton)	11 (ichthyoplankton)	12 (bacteriology)	13 (phytobenthos)	14 (molluscs)	15 (other zoobenthos)	16 (free fish)	17 (caged fish)	18 (uptake, non-rad.)	19 (uptake, radioact.)	20 (oxygen content)	21 (fouling)	22 (growth, condition)	23 (breeding, spawn.)	24 (fish attraction)	25 (parasites, disease)	26 (fish kills)	27 (aquacult. invert.)	28 (aquacult. fish)
336.		+				+	+						+															
337.		+				+	+						+															
338.		+				+							+	+	+													
339.		+			+				+																			
340.		+				+								+													+	
341.		+					+														+							
342.		+			+								+	+						+								
343.		+			+									+														
344.		+			+			+																				
345.	various authors																											
346.		+					+							+												+		
347.		+				+										+									+			
348.			+																									
349.				+																							+	+
350.		+				+			+					+	+													
351.		+			+											+												
352.		+			+											+												
353.		+			+				+	+			+							+								
354.		+			+									+	+													
355.			+																									
356.		+			+									+	+													
357.	?						+																					
358.		+			+											+												
359.			+																									
360.		+					+						+	+	+													
361.		+					+	+			+					+									+	+		
362.		+				+								+	+													
363.		+					+									+										+		
364.		+					+									+												
365.		+			+																							
366.		+				+							+			+												
367.				+	+																					+		
368.				+	+																					+		
369.				+			+									+										+		
370.																												